The Role of Community Based PHC in COVID-19

May 19, 2020

TODAY'S OBJECTIVES

- ➤ Describe why and how community health workers as part of primary health care teams are vital for effective COVID19 response and sustaining primary health care systems
- ➤ Share experiences of how government colleagues are responding to COVID-19

Identify specific investment opportunities, resources and connections that can help you support your country colleagues respond to COVID-19


Raj Panjabi, MD, MPH
CEO, Last Mile Health
Assistant Professor, Harvard Medical School
raj@lastmilehealth.org

Effective Epidemic Response Relies on Community-Oriented Primary Health Care

Our collective response to COVID-19








WORLD GOES ON RED ALERT
















THE BEST EMERGENCY SYSTEM IS AN EVERYDAY SYSTEM --- THAT CAN SURGE IN A CRISIS

EPIDEMICS CAN LEAD TO A COLLAPSE OF PRIMARY HEALTH CARE SYSTEMS




FACILITY-BASED DELIVERY: LIBERIA

Facility-based Delivery



Nationally, Liberia experienced a 3X decrease in facility-based delivery


FACILITY-BASED DELIVERY: KONOBO



In Konobo, the facility-based delivery rate remained high, dropping by just 3%

Source: Lucknow P, et al. Implementation research on community health workers' provision of maternal and child health services in rural Liberia. Bull World Health Organ. 2017 Feb 1;95(2):113-20

SICK-CHILD TREATMENT: KONOBO




In Konobo, integrated community case management (iCCM) services were sustained throughout the course of the outbreak

Source: Lucknow P, et al. Implementation research on community health workers' provision of maternal and child health services in rural Liberia. Bull World Health Organ. 2017 Feb 1;95(2):113-20

UNITING PREVENTION WITH CARE SAVES LIVES

COVID19 CHALLENGE 1: HOW TO ACHIEVE RAPID & SUSTAIN VIRAL SUPPRESSION?



Source: Resolve To Save Lives

STRATEGY 1: COMMUNITY HEALTH WORKERS CAN HELP HEALTH SYSTEM "BOX IN" COVID19

	Roles for community-based PHC teams
PREVENT	 Community education and engagement Organize hand hygiene stations Support, lead or reinforce IPC measures Prepare for the introduction of COVID-19 vaccines
DETECT	 Identify signs and symptoms Conduct COVID-19 testing or support sample collection & transport Enter alerts into community event-based surveillance systems
RESPOND	 Combat misinformation in COVID-19 areas Support self-isolation (including food, social and medical support) Monitor and refer patients for clinical deterioration Contact tracing, symptom reporting and monitoring of contacts

FINANCIAL TIMES

South Africa

+ Add to myFT

South Africa's mass screening helps stem the coronavirus tide


Use of community health workers to identify cases draws heavily on experience battling tuberculosis and HIV




A woman is tested for Covid-19 in Johannesburg's Alexandra township © Kim Ludbrook/EPA/Shutterstock

COVID19 CHALLENGE 2: HOW TO PREVENT PRIMARY HEALTHCARE SYSTEM COLLAPSE?

GFF leaders warn of emerging secondary global health crisis in primary health care due to COVID-19





Source: Roberton, Timothy and Carter, Emily D. and Chou, Victoria B. and Stegmuller, Angela and Jackson, Bianca D. and Tam, Yvonne and Sawdogo-Lewis, Talata and Walker, Neff, Early Estimates of the Indirect Effects of the Coronavirus Pandemic on Maternal and Child Mortality in Low-and-Middle Income Countries (April 15, 2020). Available at SSRN: https://ssrn.com/abstract=3576549 or https://ssrn.com/abstract=3576549 or

STRATEGY 2: PROTECT PHC WORKERS AND MODIFY PHC PROTOCOLS

- Implement Infection Prevention & Control protocols across primary healthcare facilities, including creation of triage, respiratory illness clinics.
- Train frontline and community health workers in modified protocols to maintain essential health services at the primary healthcare level.

